

**Mandatory Language for Monitoring and Reporting Violation  
Chemical Sampling  
CHEMICAL MONITORING, ROUTINE MAJOR**

The **CRESSON CROSSROADS** water system PWS ID **1110128** has violated the monitoring and reporting requirements set by Texas Commission on Environmental Quality (TCEQ) in Chapter 30, Section 290, Subchapter F. Public water systems are required to collect and submit chemical samples of water provided to their customers, and report the results of those samples to the TCEQ on a regular basis.

We failed to monitor and/or report the following constituents NITRATE,  
EDB/DBCP,  
SOC Method 515.4, SOC Method 531.1

This/These violation(s) occurred in the monitoring period(s) 01/01/2013 - 12/31/2013

Results of regular monitoring are an indicator of whether or not your drinking water is safe from chemical contamination. We did not complete all monitoring and/or reporting for chemical constituents, and therefore TCEQ cannot be sure of the safety of your drinking water during that time.

We are taking the following actions to address this issue:

We are Posting Analyte results to Texas Commission on  
Environmental Quality.

Please share this information with all people who drink this water, especially those who may not have received this notice directly (i.e., people in apartments, nursing homes, schools, and businesses). You can do this by posting this notice in a public place or distributing copies by hand or mail.

If you have questions regarding this matter, you may contact Billy Martin at 817-579-8100.

Posted /Delivered on: 8-12-2014

**Instructions for preparing the required Public Notice:**

Recopy the mandatory language above and insert the underlined information in the spaces indicated.

**Public Notice delivery timelines:**

The initial public notice shall be issued as soon as possible, but in no case later than **October 20, 2014**. Repeat public notice shall be issued every twelve months for as long as the violation persists. All notifications require the attached Certificate of Delivery due 10 days from the pasting date of the above notice.

Refer to 30 TAC §290.122 for additional information on Public Notification.